

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1001	absolute near3 (rotat\$4 rotary) near3 (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:56
L2	44	1 and (torsion\$4) near3 (bar rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:57
L3	36	2 and (input) near3 (shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:04
L4	33	3 and (output) near3 (shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:04
L5	30	4 and (gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:54
L6	30	5 and (detect\$4 sens\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:57
L7	27	6 and (magnet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:54
L8	18	7 and (teeth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:54
L9	14	8 and (calculat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:55

EAST Search History

L10	10	9 and (correct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:55
L11	7	10 and (abnormal\$4 error deficiency deficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:56
L12	1249	73/862.33\$4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:56
L13	10	12 and (absolute) near3 (rotat\$4 rotary) near3 (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:04
L14	4	13 and (second pair two couple multiple) near3 (gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03
L15	4	14 and (input) near3 (shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:57
L16	4	15 and (output) near3 (shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 09:57
L17	4	16 and (torsion\$4) near3 (bar rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03
L18	4	17 and (detect\$4 sens\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03
L19	3201	(torsion\$4) near3 (bar rod).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03

EAST Search History

L20	138	19 and (second pair two couple multiple) near3 (gear).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03
L21	728	19 and (detect\$4 sens\$4 transducer measur\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:03
L22	97	21 and (input) near3 (shaft).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:04
L23	84	22 and (output) near3 (shaft).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:04
L24	1	23 and (absolute) near3 (rotat\$4 rotary) near3 (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:10
L25	6	23 and (absolute) near3 (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/09 10:10